Serial No.: 09/923,870

LISTING OF CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 24 through 48 (Canceled).

49. (currently amended) A method performed in a computer of producing a genome specific stoichiometric matrix of a microbe, comprising:

obtaining a DNA sequence of a genome;

determining open reading frames of genes in said microbe; assigning a function to proteins encoded by said open reading frames by determining the homology of said open reading frames to gene sequences encoding proteins of known function;

determining which of said open reading frames correspond to metabolic genes by determining if the assigned function of said proteins is involved in relates to cellular metabolism; determining substrates, products and stoichiometry for each of said metabolic genes; and producing a genome specific stoichiometric matrix of said microbe from said substrates, products and stoichiometry.

- 50. (previously presented) The method of Claim 49, wherein said microbe is *Escherichia coli*.
- 51. (currently amended) The method of Claim 49, wherein said genes involved in cellular metabolism comprise genes involved in central metabolism, amino acid metabolism, nucleotide metabolism, fatty acid metabolism, lipid metabolism, vitamin and cofactor biosynthesis, energy and redox generation or carbohydrate assimilation metabolism.
- 52. (previously presented) The method of Claim 49, wherein assigning a function comprises performing a homology search using the Basic Local Alignment Search Tool (BLAST).
- 53. (currently amended) A method of producing an *in silco* representation of a microbe in a computer, comprising:

Serial No.: 09/923,870

producing a genome specific stoichiometric matrix of said microbe by the method of Claim 49;

determining a biomass composition of calculating metabolic demands on said microbe; calculating uptake rates of metabolites of said microbe; and combining said metabolic demands and said uptake rates with said stoichiometric matrix to produce an *in silco* representation of said microbe.

- 54. (previously presented) The method of Claim 53, further comprising performing a flux balance analysis on said *in silco* representation.
- 55. (previously presented) The method of Claim 53, wherein said metabolic demands on said microbe are calculated by reference to the dry weight composition of said microbe.
- 56. (previously presented) The method of Claim 53, wherein said uptake rates are calculated by measuring the depletion of substrate from growth media of said microbe.
- 57. (previously presented) A method performed in a computer for producing a genome specific stoichiometric matrix of a microbe, comprising:
 - a) providing the nucleotide sequence of a metabolic gene in the microbe;
- b) identifying the open reading frame of the metabolic gene to determine the corresponding gene product;
- c) assigning a function to the metabolic gene product based on its nucleotide or amino acid homology to other, known metabolic gene products;
- d) determining the substrates, products and stoichiometry for said metabolic gene product based on its assigned function;
- e) repeating steps a) to d) until the substrates, products and stoichiometry of the metabolic genes in said microbe are known; and
- f) producing a genome specific stoichiometric matrix from said substrates, products and stoichiometry of the metabolic genes product in said microbe.
- 58. (previously presented) The method of Claim 57, wherein the microbe is *Escherichia coli*.

Serial No.: 09/923,870

59. (currently amended) The method of Claim 57, wherein said metabolic gene is selected from the group consisting of: genes involved in <u>central metabolism</u>, amino acid metabolism, nucleotide metabolism, fatty acid metabolism, lipid metabolism, <u>vitamin and cofactor biosynthesis</u>, energy and redox generation and carbohydrate <u>assimilation metabolism</u>.

- 60. (previously presented) The method of Claim 57, wherein assigning a function comprises performing a homology search using the Basic Local Alignment Search Tool (BLAST).
- 61. (currently amended) A method performed in a computer of producing an *in silco* representation of a microbe, comprising:

producing a genome specific stoichiometric matrix of said microbe by the method of Claim 57;

determining a biomass composition of calculating metabolic demands on said microbe; calculating uptake rates of metabolites of said microbe; and combining said metabolic demands and said uptake rates with said stoichiometric matrix to produce an *in silico* representation of said microbe.

- 62. (previously presented) The method of Claim 61, wherein said microbe is *Escherichia coli*.
- 63. (previously presented) The method of Claim 61, wherein said metabolic demands on said microbe are calculated by reference to the dry weight composition of said microbe.
- 64. (previously presented) The method of Claim 61, wherein said uptake rates are calculated by measuring the depletion of substrate from growth media of said microbe.
- 65. (previously presented) The method of Claim 61, further comprising performing a flux balance analysis on said *in silco* representation of said microbe.